Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) ECO-SOL MAX, ESL3-CY/ESL3-4CY

Revision date: 25-Mar-2014 Version: 3 Print date: 31-Jul-2015

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

ECO-SOL MAX, ESL3-CY/ESL3-4CY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Inkjet Printing Identified uses: Inkjet Printing Restricted to professional users. Uses advised against -

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Roland DG Benelux NV Bell-Telephonelaan 2G B-2440 Geel Belgium Telephone: +32 14 57 59 11 E-mail: info@rolanddg.be Website: www.rolanddg.be E-mail (competent person): info@rolanddg.be

E-mail (competent person): info@rolanddg.be

1.4. Emergency telephone number

24h: +49 228 19240 (Giftnotruf Bonn) , +32 14 57 59 11 (Roland DG Benelux NV) (Only available during office hours.)

24h: +32 70 245 245 (Centre Antipoisons Belge - Belgisch Antigifcentrum, BE), +33 1 40 05 48 48 (centre antipoison et de toxicovigilance, Paris, FR), +32 14 57 59 11 (Roland DG Benelux NV) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Hazard classes and hazard categories		Classification pro- cedure
Skin corrosion/irritation (Skin Irrit. 2)	H315: Causes skin irritation.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	
Reproductive toxicity (Repr. 1B)	H360: May damage fertility or the unborn child.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



Signal word: Danger

Hazard components for labelling:

bis(2-(2-methoxyethoxy)ethyl) ether; ?-butyrolactone

hazard statements for health hazards	
H315	Causes skin irritation.
H318	Causes serious eye damage.
H360	May damage fertility or the unborn child.

© TÜV SÜD Industrie Service GmbH

Precautionary statements Response

r recaucionary stat	
P302 + P352.1	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P362	Take off contaminated clothing.

2.3. Other hazards

Adverse physicochemical effects:

This material is combustible, but will not ignite readily.

Adverse human health effects and symptoms:

No known significant effects or critical hazards.

Adverse environmental effects:

No known significant effects or critical hazards.

Other adverse effects:

No known significant effects or critical hazards.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No. 1272/2008 [CLP]	Concen- tration
CAS No.: 112-36-7 EC No.: 203-963-7	bis(2-ethoxyethyl) ether Skin Irrit. 2	55 – 65 Wt %
REACH No.: 01-2119969946-13-0000	V Warning H315	
CAS No.: 96-48-0 EC No.: 202-509-5	 ?-butyrolactone Eye Dam. 1, STOT SE 3, Acute Tox. 4 ◆ Danger H302-H318-H336 	< 20 Wt %
CAS No.: 143-24-8 EC No.: 205-594-7	bis(2-(2-methoxyethoxy)ethyl) ether Repr. 1B	10 - 20 Wt %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Following inhalation:

Provide fresh air.

In case of irregular breathing or respiratory arrest provide artificial respiration. Consult physician immediately.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After eye contact:

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion:

Do NOT induce vomiting. Consult physician immediately.

4.2. Most important symptoms and effects, both acute and delayed No data available

4.3. Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray, Carbon dioxide (CO2), Foam, Dry extinguishing powder,

5.2. Special hazards arising from the substance or mixture

No data available

5.3. Advice for firefighters

Wear full chemical protective clothing. Use appropriate respiratory protection.

5.4. Additional information

No data available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

See protective measures under point 7 and 8. Provide adequate ventilation.

6.1.2. For emergency responders

No data available

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Treat the recovered material as prescribed in the section on waste disposal.

6.3. Methods and material for containment and cleaning up

For cleaning up:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Disposal: see section 13 Personal protection equipment: see section 8

6.5. Additional information

No data available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Use only in well-ventilated areas.

Handle and open container with care. All work processes must always be designed so that the following is as low as possible: Inhalation, Skin contact, Eye contact.

When using do not eat, drink, smoke, sniff.

Fire prevent measures:

Keep away from sources of ignition. - No smoking. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Keep only in original container. Conditions to avoid: Protect from sunlight. Protect against: Frost, Heat

Hints on storage assembly:

Do not store together with: Oxidising agent Materials to avoid: Metal, Oxidising agent, Amines

Storage class: 10 - Combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

Recommendation: Inkjet Printing

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. biological limit values No data available

8.1.3. DNEL-/PNEC-values

Substance name		 DNEL type Exposure route
bis(2-(2-methoxyethoxy)ethyl) ether CAS No.: 143-24-8	-	 DNEL worker DNEL long-term inhalative (systemic)

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

8.2.2. Personal protection equipment

Eye/face protection:

Eye protection: not required.

Skin protection:

Hand protection: not required.

Respiratory protection:

Respiratory protection necessary at: insufficient ventilation, insufficient exhaust.

Other protection measures:

Body protection: not required.

General health and safety measures: Thorough skin-cleansing after handling the product. Wash contaminated clothing prior to re-use. Avoid contact with skin, eyes and clothes.

8.2.3. Environmental exposure controls

Discharge into the environment must be avoided.

8.3. Additional information

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: liquid **Odour:** characteristic

Colour: blue **Odour threshold:** not determined

Safety relevant basis data

parameter		at °C	Method	remark
рН	not determined		No data availa- ble	
Melting point/freezing point	not determined		No data availa- ble	
Freezing point	not determined			
Initial boiling point and boiling range	not determined		No data availa- ble	
Decomposition temperature (°C):	not determined			
Flash point	71 °C			
Evaporation rate	not determined			
Ignition temperature in °C	not determined			
Upper/lower flammability or explosive limits	0.3 - 16 Vol-%			estimated
Vapour pressure	not determined		No data availa- ble	
Vapour density	not determined			
Density	not determined		No data availa- ble	
Bulk density	not determined			

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) ECO-SOL MAX, ESL3-CY/ESL3-4CY

Revision date: 25-Mar-2014 Version: 3 Print date: 31-Jul-2015

parameter		at °C	Method	remark
Water solubility (g/L)	easily soluble			
Partition coefficient: n-octanol/ water	not determined		No data availa- ble	
Dynamic viscosity	not determined		No data availa- ble	
Kinematic viscosity	not determined			

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is chemically stable under recommended conditions of storage, use and temperature.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Frost, Heat

10.5. Incompatible materials

Oxidising agent

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
96-48-0	?-butyrolactone	LD ₅₀ oral: =1,582 mg/kg (Rat)
		LC ₅₀ inhalative: >5.1 ppmV 4 h
143-24-8	bis(2-(2-methoxyethoxy)ethyl) ether	LD ₅₀ oral: =3,850 mg/kg (Rat)

Acute oral toxicity:

There are no data available on the mixture itself.

Acute dermal toxicity:

There are no data available on the mixture itself.

Acute inhalation toxicity:

There are no data available on the mixture itself.

Skin corrosion/irritation:

Irritant effect on the skin: Not an irritant. (Methode: Rabbit OECD 404)*

Eye damage/irritation:

Irritant effect on the eye: Not an irritant. (Methode: Rabbit OECD 405)*

Respiratory or skin sensitisation:

not sensitising. (LLNA, OECD 429)*

Germ cell mutagenicity:

In vitro mutagenicity: Ames test negative.*

Carcinogenicity:

No indication of human carcinogenicity.

Reproductive toxicity:

May cause harm to the unborn child. Possible risk of impaired fertility. (Tetraethylene glycol dimethyl ether)

STOT-single exposure:

There are no data available on the mixture itself.

STOT-repeated exposure:

There are no data available on the mixture itself.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

Specific symptoms in animal studies: There are no data available on the preparation/mixture itself. Other information: *By analogy.

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity: No information available.

Terrestrial toxicity:

No information available.

Effects in sewage plants:

No information available.

12.2. Persistence and degradability

Additional information:

Further ecological information: No information available.

12.3. Bioaccumulative potential

Accumulation / Evaluation:

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Consult the appropriate local waste disposal expert about waste disposal.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Control report for waste code/ waste marking according to EAKV: Do not allow to enter into surface water or drains.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

08 03 17 * waste printing toner containing dangerous substances

*: Evidence for disposal must be provided.

Waste code packaging:

15 01 10 packaging containing residues of or contaminated by dangerous substances

13.2. Additional information

No data available

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

14.1. UN-No.

not relevant

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

not relevant

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not relevant

Additional information:

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

No data available

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

§ 5 MuSchRiV § 22 JArbSchG § 4 MuSchRiV

Water hazard class (WGK)

WGK:

1 - schwach wassergefährdend

Source:

Self-classification

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

15.3. Additional information

No data available

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

16.3. Key literature references and sources for data No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Hazard classes and hazard categories		Classification pro- cedure
Skin corrosion/irritation (Skin Irrit. 2)	H315: Causes skin irritation.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	
Reproductive toxicity (Repr. 1B)	H360: May damage fertility or the unborn child.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements		
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H336	May cause drowsiness or dizziness.	
H360	May damage fertility or the unborn child.	

16.6. Training advice

No data available

16.7. Additional information

This Safety Data Sheet was drawn up by TÜV SÜD Industrie Service GmbH (see below), based on data from the supplier, who is named in section 1 and who is responsible for this document. TÜV SÜD Industrie Service GmbH Department Environmental Service Westendstraße 199 80686 Munich - Germany

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Importer/Only Representative : Roland DG Benelux NV

Manufacturer: Roland DG Corporation 1-6-4 Shinmiyakoda, Kita-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103 JAPAN Telefon: + 81-53-484-1224 Telefax: + 81-53-484-1226